		Page 1 of 4			
Subst. Form PTO-14	9 Atty. Docket No.: TRV 20011-2	Serial No.: 09/759,622			
APPLICANT'S INFORM	TION Applicant: Karl Tryggvason et al.	Applicant: Karl Tryggvason et al.			
DISCLOSURE STATEME		Group: Unknown			
	OTHER ART				
AA Alts	chul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D.J. (19	990) Basic local alignment search tool.			
J. N	J. Mol. Biol. 215, 403-10.				
App.	the example of the ExPASy WWW server. Trends Biochem. Sci. 19: 258-260.				
the TRADERAC Bar	Barker, D. Hostikka, S.L., Zhou, J., Chow, L.T., Oliphant, A.R., Gerken, S.C., Gregory, M.C., Skolnick, M.H., Atkin,				
	and Tryggvason, K. (1990) Identification of Mutations in the COLence 248, 1224-1227.	K. (1990) Identification of Mutations in the COL4A5 collagen gene in Alport Syndrome.			
AD Brü	mmendott, T., and Rathjen, F.G. (1994) Cell adhesion molecules	1: Immunoglobulin superfamily. Protein profile			
\	51-1058.				
AE Bur	ge, C. And Karlin, S. (1997) Prediction of complete gene structure	es in human genomic DNA. J. Mol. Biol. 168, 78-			
94.					
AF Chapelle, A. de la (1993) Disease gene mapping in isolated human populations: the example of Finland. J. M.					
Ge	net. 30: 857-865.				
Dolan, M., Horchar, T., Rigatti, B., and Hassell, J.R. (1997) Identification of sites in domain I perlecan that re heparan sulfate synthesis, J. Biol. Chem. 272, 4316-4322.					
				AH Fa	Fahrig, T., Landa, C., Psheva, P., Kühn, K., and Schacher, M. (1987) Characterization of binding properties of the
my	myelin-associated glycoprotein to extracellular matrix constituents. EMBO J. 6, 2875-2883.				
AI Fu	hshuber, A., Niaudet, P., Gribouval, O., Genevieve, J., Gubler, M	A., Niaudet, P., Gribouval, O., Genevieve, J., Gubler, M-C., Broyer, M. And Antignac, C. (1996)			
	Congenital Nephrotic Syndrome of the Finnish type: linkage to the locus in a non-Finnish population. Pediatr. Nephrol. 10: 135-138.				
AJ Hä Triv	tbacka, J., Chapelle, A. de la, Mahtani, M.M., Clines, G., Reebe-Daly, M.P., Daly, M., Hamilton, B.A., Kusumi, K., edi, B., Weacer, A., Coloma, A., Lovett, M., Buckler, A., Kaitila, I., and Lander, E.S. (1994) The Diastrophic				
dys	plasia gene encodes a novel sulfate transporter: positional clonin oping. Cell 78, 1073-1087.	ene encodes a novel sulfate transporter: positional cloning by fine-structure linkage disequilibrium			
AK Hill	er et al. (1997) "WashU-NCI human EST project", Genbank Locu	s AA678622.			
AL Ho	mberg, C., Antikainene, M., Rönnholm, K., Ala-Houhala, M. And J	Jalanko, H. (1995) Management of congenital			
ne	nephrotic syndrome of the Finnish type, Pediatr. Nephrol. 9: 87-93.				
, AM Iko	Ikonen, E., Baumann, M., Grön, K., Syvänen, A-C., Enomaa, N., Halila, R., Aula, P. And Peltonen, L., (1991)				
	Aspartylglucosaminuria: cDNA encoding human aspartylglucosaminidase and the missense mutation causing the disease. EMBO J. 10: 51-58.				
Examiner: Date Considered: 2					
with MPEP 60	nitial if reference considered, whether or 9; Draw line through citation if in conform of this form with next communication to ap	ance and not considered.			

					Page 2 of 4			
Subst. Form PTO-1449 APPLICANT'S INFORMATION			-1449	Atty. Docket No.: TRV 20011-2	Serial No.: 09/759,622			
			ORMATION	Applicant: Karl Tryggvason et al.				
DIS	DISCLOSURE STATEMENT			Filing Date: January 21, 2001	Group: Unknown			
			· ·	OTHER ART				
	0.00	ва	Jurka, J., Klo	onowski, P., Dagman, V., Pelton, P. (1996) CENSOR - a pro	gram for identification and elimination of			
6,	TE E	\	repetitive ele	ments from DNA sequences. Computers and Chemistry Vo	ol. 20 (No. 1): 119-122.			
	13 2000	ВВ	Kallunki, P.,	and Tryggvason, K. (1992) Human basement membrane he	eparan sulfate proteoglycan core protein: a			
阳	TRADEMIN		467 kD prote cell adhesion	ein containing multiple domain resmbling elements of the low n molecules, and epidermal growth factor. J. Cell Biol. 116, 5	v density lipoprotein receptor, laminin, neural 559-571.			
14	TRADEMIN	вс	Kasinath, B.	S. and Kanwar, Y.S. (1993) Glomerular basement membran	e: biology and physiology. In: Molecular and			
			cellular aspe	ects of basement membranes (D. Rorhbach and R. Timpl, ed	ds), Academic Press, pp. 89-106.			
		BD	Kawai, S. No	omura, S., Harano, T., Fukushima, T., & Osawa, G. (1996) Ti	he COL4A5 gene in Japanese Alport			
			syndrome pa	atients: spectrum of mutations of all exons. Kidney Int. 49, 8	14-822.			
		BE	Keino-Masu	, K., Masu. M., Hinck, L., Leonardo, E.D., Chan, S.S.Y., Culo	otti, J.G., and Tessier-Lavigne, M. (1996)			
			Cell 87, 175	-185.				
		BF	Kestila, M., e	et al. "Positionally cloned Gene for a novel Glomerular Protei	in (Nephrin) is Mutated in Congenital			
			Nephrotic S	yndrome, "Molecular Cell, Vol. 1, No. 4, March 1998, Pgs. 57	75-582.			
		BG	Kestilä, M., Männikkö, M., Holmberg, C., Korpela, K., Savolainen, E.R., Peltonen, L. and Tryggvason, K. (1994)					
			Exclusion of eight genes as mutated loci in congenital nephrotic syndrome of the Finnish type. Kidney Int. 45, 98, 990.					
		вн	Kestilä, M., Männikkö, M., Holmberg, C., Gyapay, G. Weissenbach, J. Savolainen, E.R., Peltonen, L. and					
			Tryggvason K. (1994b) Congenital nephrotic syndrome of the Finnish type maps to the long arm of chromos Am. J. Hum. Genet. 54, 757-764.					
		BI	Knebelmanr	al. (1996) Spectrum of mutations in the				
			COL4A5 col	lagen gene in X-linked Alport syndrome. Am. J., Hum. Gene	et. 59, 1221-1232.			
		ВJ	Koskimies,	, O. (1990) Genetics of congenital and early infantile nephrotic syndromes. In: Spitzer, A., Avner, E.D.				
			(Eds) Inherit	heritance of kidney and uritary tract diseases. Kluwer, Boston, Dordrecht and London, p. 131-138.				
		вк	Laine, J.,Jal	anko, H.,Holthöfer, H. Krogerus, L., Rapola, J., von Willebra	nd, E., Lautenschlager, I., Salmela, K. and			
				C. (1993) Post-transplantation nephrosis in congenital nephro.	otic syndrome of the Finnish-type. Kidney Int.			
		BL	Lamerden,	J.E., et al. "Sequence Analysis of a 1Mb Region in 19q13.1,	" EMBL Sequence Database, July 11, 1997.			
	1	вм	Lenkkeri, U.	, et al, "Structure of the Gene for Congenital Nephrotic Synd	frome of the Finnish Type (NPHS1) and			
			Characterization of Mutations," American Journal of Human Genetics, Vol. 64, No. 1, January 1999, Pgs. 51-56.					
Ex	aminer:			//// Do	ate Considered: 2/11/63			
*	* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if in conformance and not considered. Include copy of this form with next communication to applicant.							

f (.

Page 3 of 4

				Page 3 or	
Subst. Form PTO-1449			Atty. Docket No.: TRV 20011-2	Serial No.: 09/759,622	
APPLICANT'S INFORMATION DISCLOSURE STATEMENT			Applicant: Karl Tryggvason et al.		
			Filing Date: January 21, 2001	Group: Unknown	
			., Jalanko, H., Holmberg, C., and Holthöfer, H. (1993) Conge	enital nephrosis of the Finnish type (CNF):	
			onents of the glomerular basement membranes and of cultured mesangial cells. Histochem J. 25: 606-		
, ,	СВ		Mauer, S.M. Sibley R.K. and Vernier, R.L. (1984) Congenital	I nephrotic syndrome: Evolution of medical	
		managemen	ent and results of renal transplantation. J. Pediatr. 105: 549-557.		
	cc	Männikkö, M	., Kestilä, M., Holmberg, C. Norio, R., Ryynänen, M., Olsen, A	A., Peltonen, L. And Tryggvason, K. (1995)	
			g and haplotype analysis of the locus for congenital nephrotic 57: 1377-1383.	syndrome on chromosome 19q13.1. Am	
	CD	Männikkö, N	1., Kestilä, M., Lenkkeri, U., Alakurtti, H., Holmberg, C., Leisti,	J., Salonen, R., Aula, P., Mustonen, A.,	
		Peltonen, L., Finnish type	and Tryggvason, K., (1997) Improved prenatal diagnosis of t	the congenital nephrotic syndrome of the	
	CE Noonan, D.M., Fulle, A., Valente, P., Cai, S., Horigan, E., Sasaki, M., Yamada, Y., and Hassell, J.R. (19 complete sequence of perlecan, a basement membrane heparan sulfate proteoglycan, reveals extensi				
		with laminin 22939-2294	A chain, low density lipoprotein receptor, and the neural cell a	adhesion molecule. J. Biol. Chem. 266,	
	CF	Olsen, A. Ge	orgescu, A., Johnson, S. and Carrano, A.V. (1996) Assembl	y of a 1-Mb restriction-mapped cosmid	
contig spann			ning the candidate region for Finnish congenital nephrosis (NPHS1) in 19q13.1. Genomics 34: 223-225.		
	CG	Pesheva, P.	111 cell adhesion molecule mediates the		
		repulsion of	neurons by the extracellular matrix glycoprotein J1-160/180.	Neuron 10, 69-82.	
	СН	Rapola, J., F	luttunen, N.P. and Hallman, N. (1992) Congenital and infanti	le nephrotic syndrome. In: Edelman CM	
		(ed.) Pediatr	ic Kidney Disease. 2nd ed. Little, Brown and Company, Bost	on. Vol. 2: 1291-1305.	
	CI	Renieri, A., I	Bruttini, M., Galli, L., Zanelli, P., Neri, T., et al. (1996) X-linked	Alport syndrome: an SSCP based	
		mutation sur	vey over all 51 exons of the COL4A5 gene. Am. J. Hum. Ger	net. 58, 1192-1204.	
	CJ	Solovyev, V.	V.V., Salamov, A.A., Lawrence, C.B. (1994) Predicting internal exons by oligonucleotide composition and		
		discriminant	analysis of spliceable open reading frames. Nucl. Acids Res	s. 22(24): 5156-5163.	
	CK	Stratagene (Catalog, (1988) p. 39.		
	CL Tryggvaso		K. (1996) Mutations in type IV collagen genes in Alport synd	rome. In: Molecular pathology and	
		Genetics of Alport syndrome (ed. K. Tryggvason). Contrib. Nephrol., 117, 154-171, Karger, Basel			
CM CM		Tryggvason, K. and Kovalainen, K. (1975) Number of nephrons in normal human kidneys and kidneys of patients			
, I ===================================			genital nephrotic syndrome. Nephron 15: 62-68.		
Examiner:	-	1	Da	te Considered: Uulo	
* EXAM: with Incl	MPEF	609: Dra	if reference considered, whether or not w line through citation if in conformancis form with next communication to appli	e and not considered.	

Page 4 of 4

Subst. Form PTO-1449			Atty. Docket No.: TRV 20011-2	Serial No.: 09/759,622		
APPLICANT'S INFORMATION		ORMATION	Applicant: Karl Tryggvason et al.			
DISCLOSURE STATEMENT			Filing Date: January 21, 2001	Group: Unknown		
6	DA	Uberbacher,	Uberbacher, E.C. and Mural, R.J. (1991) Locating protein-coding regions in human DNA sequences by a multiple			
		sensor-neural network approach, Proc. Natl. Acad. Sci. USA 88: 11261-11265.				
DB Zisch, A.H., D'allessandri, L., Ranscht, B., Falchetto, R. Winterhalter, K.H., and Vaughan, L.			Vaughan, L. (1992) Neuronal cell			
		adhesion molecule contactin/F11 binds to tenascin via its immunoglobulin-like domains. J. Cell Biol. 119, 203-2				
•	DC					
	DD					
: 						
	DE					
	DF					
	DG					
	DH					
	DI					
	DJ					
	DK					
	DL		And the state of t			
			1444			
	DM					
<u>-</u>						
	DN					
Paramira and			Pata 6	Considered: 2/4/0		
Examiner:	MINER:	Initial	if reference considered, whether or not cit	cation is in conformance		
with MPEP 609; Draw line through citation if in conformance and not considered. Include copy of this form with next communication to applicant.						